INDEX

Acacia, 57 *sqq.*
  recessives in, 60 *sqq.*
  linkage in, 63
acclimatisation, temperature, 282
  development, 282
adaptation, 157
adaptive value, 277
affinity, 127
agglutination, 73
Agropyron, 129 *sqq.*
alleles, association of, 11
  distribution of, 11
  pseudo-, 234, 280
  multiple, 276
  self-sterility, 276
  semi-dominant, 279
  semi-lethal, 253
Allison, A. C., 440
Allium, 371
ameiosis, 135
amphidiploid, 319
Andrewartha, H. G., 120
animal numbers, 120
antheridium, 248 *sqq.*
Anthoxanthum, 201, 363
antigen, 285, 427
  Œnothera, 255
apogamy, 253
apomixis, 131 *sqq.*
apospory, 157, 253
archegonium, 247, 248
array statistics, 12
ascospore, 280
Aspergillus, 124, 234, 254, 279, 280
Asplenium, 253
assimilation, genetic, 281
assortative mating, 323
Astroloma, 441
asymmetry, bilateral, 419, 283
asynapsis, 151 *sqq.*, 409
Auerbach, C., 281
autogamy, 257
autosomal lethals, mice, 123
Avena, 109 *sqq.*

backcross, 1 *sqq.*, 225 *sqq.*
  triplex, 208, 212
back-mutation, 279
bacteria, 435
balance, internal, 244
  relational, 244
balanced lethal systems, 265
Bartlett, test, 415
Bauer, 435
Bateman, A. J., 257
Bateman, K. G., 281
B-chromosome, 195, 345, 355
Bennet, H. J., 278
Bennett, J. H., 51-55, 263-270
Binet, F. E., 51-55
Birch, L. C., 120-121
Bird, G. W. G., 425-429
birth control, 278
Biston betularia, 287 *sqq.*, 439
Blackwood, M., 353
blood groups, 165
  ABO, 69 *sqq.*, 126
  Duffy, 285
  duodenal ulcer and, 126
  frequencies, Ireland, 69 *sqq.*
  gene frequencies, 285
  poultry, 243
  race and, 161 *sqq.*, 285, 425 *sqq.*
  Rhesus, 69 *sqq.*, 285, 425
  sex and, 777
blood transfusion, 72, 285
Bombyx, 398
body size, *Drosophila*, 125
bracken, incompatability in, 247 *sqq.*
Breese, E. L., 323-343
Brown, A. G., 237-245

Calef, E., 279
Caltha, 201
camouflage, 439
Campanula, 99, 370
Carter, T. C., 284
Catcheside, D. G., 205-218, 345-351
Centaurea, 201, 202
centromere, 99, 119, 127, 208, 217, 229, 284, 345, 382
  abnormal, 200
  interference, 231
  terminal, 197 *sqq.*
Cheiranthus, 257
chromatography, 280
chromocentres, 367, 373
chiasma, 151, 284, 380 *sqq.*
  frequency, 156, 232, 234, 409, *sqq.*
chromatid, 229, 345, 350, 386
  aberrations, 123
  segregation, 105 *sqq.*
chromomere, 434
chromonema, 124
chromosome, aberrations, 129 *sqq.*, 385, 431
  accessory, 195
  acentric, 112, 384 *sqq.*
  behaviour, 99, 409 *sqq.*
  breakage, 199, 367 *sqq.*
  complement, 119, 268
  deficiency, 156
  dicentric, 156, 384 *sqq.*
  differentiation, 85 *sqq.*
  distribution, 197, 367 *sqq.*
  disjunction, 99, 354 *sqq.*
  doubling, 85, 94, 109, 231, 349
  fragment, 112, 195 *sqq.*, 371 *sqq.*
  genetical control, 99
  genetics of B, 345 *sqq.*, 353 *sqq.*
  homologous, 263, 370

INDEX

Acacia, 57 *sqq.*
  recessives in, 60 *sqq.*
  linkage in, 63
acclimatisation, temperature, 282
  development, 282
adaptation, 157
adaptive value, 277
affinity, 127
agglutination, 73
Agropyron, 129 *sqq.*
alleles, association of, 11
  distribution of, 11
  pseudo-, 234, 280
  multiple, 276
  self-sterility, 276
  semi-dominant, 279
  semi-lethal, 253
Allison, A. C., 440
Allium, 371
ameiosis, 135
amphidiploid, 319
Andrewartha, H. G., 120
animal numbers, 120
antheridium, 248 *sqq.*
Anthoxanthum, 201, 363
antigen, 285, 427
  Œnothera, 255
apogamy, 253
apomixis, 131 *sqq.*
apospory, 157, 253
archegonium, 247, 248
array statistics, 12
ascospore, 280
Aspergillus, 124, 234, 254, 279, 280
Asplenium, 253
assimilation, genetic, 281
assortative mating, 323
Astroloma, 441
asymmetry, bilateral, 419, 283
asynapsis, 151 *sqq.*, 409
Auerbach, C., 281
autogamy, 257
autosomal lethals, mice, 123
Avena, 109 *sqq.*

backcross, 1 *sqq.*, 225 *sqq.*
  triplex, 208, 212
back-mutation, 279
bacteria, 435
balance, internal, 244
  relational, 244
balanced lethal systems, 265
Bartlett, test, 415
Bauer, 435
Bateman, A. J., 257
Bateman, K. G., 281
B-chromosome, 195, 345, 355
Bennet, H. J., 278
Bennett, J. H., 51-55, 263-270
Binet, F. E., 51-55
Birch, L. C., 120-121
Bird, G. W. G., 425-429
birth control, 278
Biston betularia, 287 *sqq.*, 439
Blackwood, M., 353
blood groups, 165
  ABO, 69 *sqq.*, 126
  Duffy, 285
  duodenal ulcer and, 126
  frequencies, Ireland, 69 *sqq.*
  gene frequencies, 285
  poultry, 243
  race and, 161 *sqq.*, 285, 425 *sqq.*
  Rhesus, 69 *sqq.*, 285, 425
  sex and, 777
blood transfusion, 72, 285
Bombyx, 398
body size, *Drosophila*, 125
bracken, incompatability in, 247 *sqq.*
Breese, E. L., 323-343
Brown, A. G., 237-245

Calef, E., 279
Caltha, 201
camouflage, 439
Campanula, 99, 370
Carter, T. C., 284
Catcheside, D. G., 205-218, 345-351
Centaurea, 201, 202
centromere, 99, 119, 127, 208, 217, 229, 284, 345, 382
  abnormal, 200
  interference, 231
  terminal, 197 *sqq.*
Cheiranthus, 257
chromatography, 280
chromocentres, 367, 373
chiasma, 151, 284, 380 *sqq.*
  frequency, 156, 232, 234, 409, *sqq.*
chromatid, 229, 345, 350, 386
  aberrations, 123
  segregation, 105 *sqq.*
chromomere, 434
chromonema, 124
chromosome, aberrations, 129 *sqq.*, 385, 431
  accessory, 195
  acentric, 112, 384 *sqq.*
  behaviour, 99, 409 *sqq.*
  breakage, 199, 367 *sqq.*
  complement, 119, 268
  deficiency, 156
  dicentric, 156, 384 *sqq.*
  differentiation, 85 *sqq.*
  distribution, 197, 367 *sqq.*
  disjunction, 99, 354 *sqq.*
  doubling, 85, 94, 109, 231, 349
  fragment, 112, 195 *sqq.*, 371 *sqq.*
  genetical control, 99
  genetics of B, 345 *sqq.*, 353 *sqq.*
  homologous, 263, 370

chromosome, lagging, 148 *sqq.*
loss of, 109
maize, 345 *sqq.*, 353 *sqq.*
morphology, 88, 119, 367, 370
neocentric, 153
number evolution, 284
pairing, 156
relational coiling, 151
ribbon, 441
ring, 133
spiralisation, 112, 151, 374 *sqq.*
sticky, 111
supernumerary, 195
synthesis, 113, 114
telocentric, 197, 386
Circotettix, 200
Clarke, C. A., 126
Clayton, G. A., 282
clone, bracken, 248 *sqq.*
clover, 440
Cælopa, 126
colchicine, 109
combining ability, 31 *sqq.*
complementary genes, 1, 27 *sqq.*
components of variation, 18 *sqq.*
linkage, 23 *sqq.*
cotton, selection in, 303 *sqq.*
correlation, between gametes, 277
phenotypic, 125, 329 *sqq.*
genetic, 323 *sqq.*
co-variance between relatives, 31, 35
Cragg, J. B., 431
Crosby, J. L., 125
crossing-over, 227 *sqq.*, 265, 367, 378
inversion, 133
Cruciferæ, 261
crypsis, 293 *sqq.*
cytoplasm, 280
cytoplasmic gradient, 114

Dahlia, 229
Darlington, C. D., 441
Darwin, 433
Datura stramonium, 229
Davidson, D., 439
Dawson, C. J., 69-84
Dawson, G. W. P., 69-84, 285
deoxyribosenucleic acid, 124, 397
development, apomictic, 136
embryonic, 283
embryo-sac, 135
sexual, 135
vestigial tail, 283
diallel analysis, 1, 31, 420
cross, 413
modified, 32
differentiation, 114, 123
dinosaurs, 431
Diptera, 437
distyly, 219 *sqq.*
Dobzhansky, T., 277
dominance, 276, 324, 421, 422
analysis of, 1, 387
in tetraploids, 219, 223

Dowdeswell, W. H., 432
Dowrick, V. P. J., 219-236
dog, 440
drift, genetic, 242, 432
Drosophila, 124, 234, 267 *sqq.*, 281, 441
body size, 125
egg production, 125
melanogaster, 124, 243, 282, 422
subobscura, 282
duodenal ulcer, 126
dyad, 136, 198, 377

ecology, 120, 431
egg production, *Drosophila*, 125
poultry, 243
electrophoresis, 427
embryo-sac, 135, 142 *sqq.*, 345
endomitosis, 155, 373
endosperm, 130 *sqq.*, 140, 367
hybrid, 195 *sqq.*
environmental effect, 1 *sqq.*, 334
epistasis, 35, 63, 224, 277
Ericales, 440
Erigeron, 153
ethnology, 161
euchromatin, 196 *sqq.*
euchromatic region, 85, 368
Evans, D. A., 126
evolution, 119, 135, 254, 342
chromosome number, 284
mechanism of, 432
rate of, 121

Fagopyrum, 231
Falconer, D. S., 283
fall ratio, 24, 25
fertility, 132, 221, 233, 284, 431
Acacia, 57 *sqq.*
human, 278
Trillium, 199, 202
fertilisation, genetic control of, 157
preferential, 254, 345 *sqq.*, 353 *sqq.*
Festuca, 127, 199, 201, 363
Feulgen technique, 368
Fincham, J. R. S., 279
Finney, J., 275
Fischberg, M., 284
Fisher, Sir Ronald, 35, 276, 432
fitness, 125
flagellates, 433
flowering time, *Nicotiana*, 1 *sqq.*, 329 *sqq.*
Ford, C. E., 284, 440
Fritillaria, 399
fungus, 254
homothallic, 280

gametophyte, 377, 400
geitonogamy, 259
gene, action, 434
albino, *Prunus*, 242
complex, 227, 234
deleterious, 238
diffusion, 432
duplicate, 4, 27 *sqq.*

gene, frequency, 237 *sqq.*, 285, 323, 328
  lethal, 237, 263 *sqq.*
  maps, 285
  neutral, 238, 241
  structure, 434
generation matrix, 33, 264 *sqq.*
genetic, assimilation, 281
  background, 285
  correlation, *Drosophila*, 281
  drift, 96, 121, 242, 432
  erosion, 237
  isolation, 260
  material, organisation of, 285
  parameters, 31 *sqq.*
  resolving power, 124
genoid, 435
genome, *Trillium*, 85
genotype-environment interaction, 1, 22 *sqq.*, 316
germination rate, 57 *sqq.*, 127
Glovers, S. W., 280
Godetia, 195, 201
Goldschmidt, R. B., 433-437
Goodspeed, T. H., 119
Gossypium, 234
graft, cross, 280
Grassé, P.-P., 441
Griffing, B., 31-50
Gruneberg, H., 283

Hackett, W. E. R., 69-84
hæmoglobins, 425 *sqq.*
hæmolysis, 73
Haga, T., 85-98
Hair, J. B., 129
Haldane, J. B. S., 123
Hammerton, J. L., 284, 440
Hardy-Wienberg law, 276
Hayman, B. I., 271
height, *Nicotiana*, 1 *sqq.*, 329 *sqq.*
heritability, 282 *sqq.*
  significance tests, 124
hermaphrodite, 126
heterochromatic segments, 85
heterochromatin, 196, 354, 367
  in endosperm, 396
  metamorphosis of, 373
heterokaryon, 244
heterosis, 5 *sqq.*, 28, 341, 411
heterostyly, 219 *sqq.*
heterothallism, relative, 254
heterozygosis, 238 *sqq.*, 263, 282
heterozygote, duplex, 208 *sqq.*, 224
  interchange, 99
  nulliplex, etc., 213
  simplex, 208 *sqq.*, 224
  superiority, 237 *sqq.*
  triplex, 208 *sqq.*
Hieracium, 153
Holden, J. W. H., 109
homeostasis, 238, 244, 283
homostyly, *Primula*, 125, 219 *sqq.*, 231
homozygosis, 269, 271
host effect, 281
H-segment, 267 *sqq.*
Hyacinthus, 389, 402
hybrid, structural, 149
hybridisation, *Trillium*, 85

identical twins, *Agropyron*, 147
Ikin, E. W., 425
inbred, cotton, 314
  rye, 112
inbreeding, 156, 263, 271, 282, 323, 409
  coefficient, 431
  depression, 67, 125, 340
  progress, 125
  theory, 276
incompatability, 125, 219 *sqq.*, 260, 284
  bracken, 247 *sqq.*
  Nicotiana, 119
inheritance, cytoplasmic, 435
  extranuclear, 280
interaction, allelic, 234
  genic, 323 *sqq.*
  non-allelic, 1, 413
interkinesis, 388
inversion, 231
irradiation, high frequency, 123
  gamma, 127
  ultra-violet, 279
  X-ray, 123, 281, 439
isochromosome, 386
isolation, sexual, 237, 281

Jinks, J. L., 1-30

Kacser, H., 285
Kafer, E., 279
Kammerer, 433
karyogamy, 254
Kettlewell, H. B. D., 287, 439
Knight, G. R., 281

Lamarck, 432
Lebistes, 126
lethals, autosomal, 123
  balanced, 265, 267
  dominant, 237
  induced, 123
Lederberg, 435
Lehmann, H., 425
Lepidoptera, 287 *sqq.*, 437, 439
L'Héritier, Ph., 431, 435
Li, C. C., 275, 432
lily, 403
linkage, 8, 19, 227, 234, 328, 431
  Acacia, 63
  group, 283
  and inbreeding, 125
litter-size, mice, 283
locusts, 396
locus, sex-linked, 276
Lolium, 127
Luzula, 114
Lycopersicum, 229
Lymantria, 435
Lythrum, 229, 276

maize, see *Zea*
Malecot, 432
male-sterility, 157
man, 234, 431, 440
  races, 161, 285, 425
Manning, H. L., 303-322
map distance, 124, 205, 229
Mather, K., 271, 276
mating, assortative, 323, 431
  half-sib, 282
  sib, 264, 323
  selfing, 51, 247, 263, 323
  parent-offspring, 268
  random, 51 *sqq.*, 323 *sqq.*
McConnell, R. B., 126
Mecostetus, 399
meiosis, 99
  in binucleate cells, 109 *sqq.*
  maize, 354
  non-synchronised, 109 *sqq.*
  suppression of, 133, 157
melanism, industrial, 287, 439
Melanopus, 398, 399
methionine synthesis, 280
Mitchell, H. K., 120
micronucleus, 113
mitosis, sensitivity of, 439
modifier, 281
Moffett, A. A., 57-67
Mole, R. H., 440
Mota, M., 109
Mourant, A. E., 425
mouse, 234, 284
  autosomal lethals, 123
  primary sex ratio, 126
mutagen, 270, 385
mutation, 276, 281
  lethal, 263
  rate, 183, 237 *sqq.*, 403
  Salmonella, 123

natural crossing, estimation of, 57 *sqq.*
  segregation and, 60
natural selection, 413, 422
  estimation of, 287 *sqq.*
Narcissus, 199 *sqq.*, 388
Neurospora, 244, 279
newt, 284
Nicotiana rustica, 1, 119, 328, 422
non-allelic interaction, 1 *sqq.*, 81 *sqq.*
non-disjunction, 99, 354, 376
  mitotic, 345 *sqq.*
  numerical, 205 *sqq.*
Nordback, K., 281
nuclei, competition between, 113
  generative, 114
  migrant, 112
  micro-, 148 *sqq.*
  polar, 321, 380
  restitution, 138
  vegetative, 114
nucleolus, 112, 435
nucleotide, 436
  pair, 124

Ochna, 146
Oehlkers, Fr., 432
Œnothera, 106, 234
olisterochromatin, 367
Orthoptera, 437
Osborne, R., 286
ovary transplantation, 281
overdominance, 1, 6, 28, 328, 340, 414, 421
Owen, A. R. G., 432

panmixis, 318
Pantelouris, E. M., 281
paramixis, 156
Paris, 201, 383, 402
Parthenium, 142
parthenogenesis, 132 *sqq.*
Pateman, J. A., 279
path coefficient, 276
penetrance, 281
Penrose, L. S., 431
pentasomics, 215, 216
phage, 280, 435
phenocopy, 281
Philip, U., 126
Pirie, N. W., 431
Pisum, 99
plasmagene, 435
plasticity, 277
plastid, 435
pleiotropy, 243 *sqq.*
Poa, 156, 301
pollen mother cells, 109, 129, 147, 153
pollen tube growth, 220, 255
polygenic inheritance, 440
polymorphism, 121, 237, 277, 440
polynemy, 441
polyploidy, *Trillium*, 85 *sqq.*
Pontecorvo, G., 124
population genetics, 275
  size, 431
position effect, 234
poultry, 286
predation, 287 *sqq.*
Primula, 125, 219 *sqq.*
progeny test, 125
prototroph, 279
Protozoa, 435
Prunus, 237 *sqq.*
pseudogamy, 134, 155
Pteris, 253
pollen grains, maize, 357 *sqq.*

Quadling, C., 123

rabbit, 440
Race, R. R., 177, 285
radiomimetic substance, 393
reciprocal difference, 5, 221, 233, 360
recombination, 284, 413
  fraction, 268
  frequency, 24, 53
  value, 64
reduction, double, 205 *sqq.*
relational balance, 66, 340, 342

Rees, H., 409-424
Reeve, E. C. R., 125, 282
Renner effect, 136
reproduction, sub-sexual, 129, 157
Reusch, J. D. H., 127
Revell, S. H., 123
Rhoeo, 107
Rhyacia, 121
Robertson, A., 281, 282
Robertson, F. W., 125
Roper, J. A., 124, 279
Rutishauser, A., 195-204, 367-407
rye, 99 *sqq.*, 409 *sqq.*

Salmonella, 123, 280
Sanger, R., 285
scaling tests, 2 *sqq.*
Scilla, 114, 389
scoring methods, 293 *sqq.*
seasonal effects, 20
Secale, 201, 363
segregation, chromatid, 276
  modes of, 205
  polarised, 346 *sqq.*
  random, 346 *sqq.*
  tetraploid, 208
  tetrasomic, 217
  trisomic, 217
self-fertility, *Primula*, 223, 234
self-incompatability, 257 *sqq.*
selection, 66, 121, 254, 281
  against homozygotes, 271
  during inbreeding, 125
  genetic response, 237
  index, cotton, 303 *sqq.*
  industrial melanism, 287 *sqq.*
  intensity, 125
  natural, 96, 413
  stabilising, 244, 303
selective, advantage, 353, 363
  value, 277
serum, 427
  groups, 73
sex-linkage, 276
sex ratio, primary, 126
sexual isolation, 237, 281
Sharpe, H. S., 280
sheep, 440
Sheppard, P. M., 126
sickle-cell, 425
Slizynski, B. M., 283
Smith-White, S., 440
Smith, P. Maynard, 282
somatic aberrations, 354
Sorghum, 201
speciation, 119, 121, 342
  Trillium, 85, 94
spindle, 435
  pole, 345, 346
Spurway, H., 126
stability, 28, 285, 414 *sqq.*
Stenobothrus, 399
sterility, 99
  male-, 132, 157
sternopleural bristles, 283
Stocker, B. A. D., 123
surface specificity, 285
survival rates, 271

Tantawy, A. O., 282
tetrad analysis, 371
tetraploid ratios, 229
Thera, 121
Thoday, J. M., 283
Thompson, J. B., 99, 409
Tradescantia, 401, 402
transduction, 280
translocation, 283, 284, 386
transplantation, tumour, 440
Trillium, 85, 195 *sqq.*, 367 *sqq.*
Trimerotropis, 200
trisomics, 215
Triticum, 398
tumour, 440
twins, *Agropyron*, 147

urodele, 441

variation, 66, 237, 276
  additive genetic, 1, 35, 124, 125
  continuous, 323
  during inbreeding, 14, 303, 314
  environmental, 125, 323
  estimation of components, 18
  F_1, 414
  free, 339
  fixable, 323
  genetic, in inbreds, 314
  non-additive genetic, 1, 35, 125
  persistency, 318
  potential, 339 *sqq.*
Venkateswarlu, J., 217
viability, 64, 216, 282
  relative, 233
Vicia, 123
viruses, 435

Waddington, C. H., 281
Wagner, R. P., 120
Wallace, M. E., 127
Watkin, I. M., 161
Wilkie, D., 247
Wilkinson, G. N., 214
Williams, W., 237
Woolf, B., 124
Wright, Sewall, 277, 431
$\overline{W}$-surface, 277

X-rays, 282
  effect on chromatids, 123
  mutation, 281
  recovery from, 281

Zea mays, 99, 195, 201, 205 *sqq.*, 234, 345, 389